



DALBY



HOOKLIFT

STRENGTH

AT ARM'S LENGTH

US RANGE



WWW.DALBYNA.COM

DALBY


MANUFACTURING PLANT

For over 50 years, DALBY has been developing, fabricating and assembling the largest range of hydraulic hooklifts on the market. Known for their robustness and ease of use, our products are constantly being adapted to reflect new standards and the needs of our customers.

Versatile, powerful and competitive, we have the perfect hooklift adapted to your needs for in either : Recycling, Construction, Demolition and Transport sectors as well as for municipal use.



We **perform** all the **manufacturing stages** of our hooklifts in our **factory**.



↳ Machining of our own hydraulic cylinders



↳ Robotic welding




↳ Hooklift painting center



↳ Hooklift assembly




↳ Hooklift test bench



↳ Mounting center

DEDICATED TO THE US MARKET



Designed for
the US market.

Hooklifts and spare parts are
available from stock.



Technical and commercial services are available
our American customers.

A dealer network provides, sales, installations
and after-sales service.



Dalby has a hooklift for **all**
applications, even
the toughest one.



↳ RECYCLING



↳ DEMOLITION



↳ TRANSPORT & LOGISTICS



↳ MUNICIPALITIES



DHT

DALBY HOOKLIFT TELESCOPIC

RANGE 12 lbs

RANGE 16-22 lbs

HOOKLIFT WITH SLIDING JIB

Its trademark : Double versatility

DESIGNED FOR THE US MARKET

HIGHLIGHTS



↳ Double hookheight



↳ Pass thru locks



↳ Dual rear pivot



↳ Adjustable mechanical stop



↳ Container support



↳ Adjustable teflon sliding pads



↳ Accessories bolted to the chassis



↳ Electric cab control



↳ Radio remote control (option)

DHT

DALBY HOOKLIFT TELESCOPIC

RANGE 24-60 lbs

HOOKLIFT WITH SLIDING JIB

Its trademark : Strong and versatile

DESIGNED FOR THE US MARKET


HIGHLIGHTS



↳ Double hookheight



↳ Pass thru locks



↳ Dual rear pivot



↳ Casted parts



↳ Tandem rear rollers (option for DHT 40 and above)



↳ Easy to maintain



↳ Accessories bolted to the chassis



↳ Pneumatic cab control



↳ Electric cab control (option)

HOOKLIFT WITH SLIDING JIB

TECHNICAL DATA

	Capacity (lbs)	Body length (feet)	Hook height (inch)	CA / CT DIM (inch)	GVW Range (lbs)	Dump Angle (°)	Hoist height (inch)	Weight (lbs)
DHT 12 S	12000	10' - 12'	36 - 1/4"	84	17500	50	7	1360
DHT 12 L	12000	12' - 14'	36 - 1/4"	102/114	17500	46	7	1420
DHT 16 S	16000	10' - 14'	36 - 1/4" and /or 54"	114/126	22000	50	9	2270
DHT 22 S	22000	10' - 14'	36 - 1/4" and /or 54"	114/126	26000	50	9	2400
DHT 22 L	22000	12' - 16'	36 - 1/4" and /or 54"	132/144	26000	49	9	2900
DHT 24 S	24000	12' - 16'	54" and /or 61-3/4"	128/140	30000	46.5	10	3400
DHT 24 L	24000	14' - 18'	54" and /or 61-3/4"	152/164	30000	53.5	10	3900
DHT 30 S	30000	12' - 16'	54" and /or 61-3/4"	128/140	33000	53.5	10	3600
DHT 30 L	30000	14' - 18'	54" and /or 61-3/4"	152/164	33000	46.5	10	4100
DHT 40 S	40000	14' - 18'	54" and /or 61-3/4"	137/149	54000	49	11	4500
DHT 40 L	40000	16' - 22'	54" and /or 61-3/4"	175/187	54000	56.5	11	5400
DHT 50	50000	16' - 22'	54" and /or 61-3/4"	175/187	64000	56.5	11	5600
DHT 60	60000	16' - 22'	61-3/4"	173/185	64000	48.5	12	6600

A GLOBAL SERVICE NETWORK




<< AFTER SALES SERVICE

A network of professionals ensure the efficient maintenance and repair of your equipment.

HOTLINE >>

Technical assistance is available to answer your questions about maintenance and service.



<< SPARE PARTS

Purchasing spare parts from DALBY guarantees that the quality conforms to the original part.

TRAINING >>

DALBY offers its customers theoretical and practical training courses for the use and maintenance of their equipment.



>> DALBY SALES AND SERVICE NETWORK

A worldwide sales and service network has been established to meet your needs for : new equipment, mounting, after-sales service and spare parts.



YOUR DALBY DEALER :

International network development : USA, Canada, Central and South America, Europe, Africa...

WWW.DALBYNA.COM